

	Type	Hits	Search Text	DBs
1	BRS	1394	reencod\$4 re-encod\$4	USPAT
2	BRS	0	(reencod\$4 re-encod\$4) with (floating-point (floating adj1 point))	USPAT
3	BRS	35	(reencod\$4 re-encod\$4) with instructions	USPAT
4	BRS	23	(reencod\$4 re-encod\$4) with instructions with decod\$4	USPAT
5	BRS	609	(reencod\$4 re-encod\$4 convert\$5) with instructions with (portion part)	USPAT
6	BRS	33	(reencod\$4 re-encod\$4) same instructions same decod\$4	USPAT
7	BRS	10	((reencod\$4 re-encod\$4) same instructions same decod\$4) not ((reencod\$4 re-encod\$4) with instructions with decod\$4)	USPAT
8	BRS	98	(recod\$4 re-encod\$4) same instructions same decod\$4	USPAT
9	BRS	584	(recod\$4 encod\$4) same instructions same decod\$4 same (portion part)	USPAT
10	BRS	66	(recod\$4) same instructions same decod\$4	USPAT
11	BRS	2084	(recod\$4 encod\$4) same instructions same decod\$4	USPAT
12	BRS	3087	(recod\$4 encod\$4) same instructions same decod\$4	USPAT
13	BRS	13	re-encod\$4.ti.	USPAT
14	BRS	29	recod\$4.ti.	USPAT
15	BRS	108	(recod\$4 encod\$4) same instructions same decod\$4 same (portion part) same determin\$4	USPAT

	Type	Hits	Search Text	DBs
16	BRS	25	recod\$4 same instructions same decod\$4 same (portion part) same determin\$4	USPAT
17	BRS	29	recod\$4 same instructions same decod\$4 same (portion part)	USPAT
18	BRS	260	"data address generator"	USPAT
19	BRS	2472	partial with decod\$4	USPAT
20	BRS	175	partial with decod\$4 with instruction	USPAT
21	BRS	175	partial with decod\$4 with instruction	USPAT
22	BRS	30	recod\$4 same instructions same decod\$4 same (portion part\$4)	USPAT
23	BRS	56	"data address generator" same (decod\$4 re-encod\$4 recod\$4 cod\$4)	USPAT
24	BRS	2	"data address generator" same (decod\$4 re-encod\$4 recod\$4 cod\$4) same part\$4	USPAT
25	BRS	273	712/208.ccls.	USPAT
26	BRS	200	712/209.ccls.	USPAT
27	BRS	16	microsequencer with instruction with (opcode)	USPAT
28	BRS	16	microsequencer with instruction with (opcode)	US- PGPUB; USPAT; EPO; JPO
29	BRS	9	re-encode with instruction	US- PGPUB; USPAT; EPO; JPO
30	BRS	2	reencode with instruction	US- PGPUB; USPAT; EPO; JPO

	Type	Hits	Search Text	DBs
31	BRS	264	multiple with destination with instruction	US- PGPUB; USPAT; EPO; JPO
32	BRS	25	multiple with destination with instruction with decod\$4	US- PGPUB; USPAT; EPO; JPO
33	BRS	227	partial with instruction with decod\$4	US- PGPUB; USPAT; EPO; JPO
34	BRS	3	partial with instruction with decod\$4 with destination	US- PGPUB; USPAT; EPO; JPO
35	BRS	2833	part with instruction with decod\$4	US- PGPUB; USPAT; EPO; JPO
36	BRS	101	part with instruction with decod\$4 with destination	US- PGPUB; USPAT; EPO; JPO
37	BRS	2	reencode same instruction	US- PGPUB; USPAT; EPO; JPO
38	BRS	15	re-encode same instruction	US- PGPUB; USPAT; EPO; JPO
39	BRS	82	re-encod\$4 same instruction	US- PGPUB; USPAT; EPO; JPO

	Type	Hits	Search Text	DBs
40	BRS	5	re-encod\$4 same instruction with part	US- PGPUB; USPAT; EPO; JPO
41	BRS	8	partial adj re adj encod\$5	USPAT
42	BRS	0	partial adj instruction adj re adj encod\$5	USPAT
43	BRS	0	partial near2 instruction near2 re adj encod\$5	USPAT
44	BRS	0	partial near2 instruction near2 ((re adj encod\$5) or reencod\$3)	USPAT
45	BRS	1	"5991785".pn.	USPAT
46	BRS	70	((re adj encod\$3)or reencod\$3 or re-encod\$3) with instruction	US- PGPUB; USPAT; EPO; JPO
47	BRS	78	((re adj encod\$3)or reencod\$3 or re-encod\$3) near2 only	US- PGPUB; USPAT; EPO; JPO
48	BRS	3431	((re adj encod\$3)or reencod\$3 or re-encod\$3) adjonly	US- PGPUB; USPAT; EPO; JPO
49	BRS	44	((re adj encod\$3)or reencod\$3 or re-encod\$3) adj only	US- PGPUB; USPAT; EPO; JPO